Subject Index—1985

Abdomen
Technical considerations in gastric ulcer localization using technetium-99m sucralfate, 127

Administered dose
Actual versus theoretical pediatric radiopharmaceutical dosage, 15

Arm ergometry
A cost effective conversion of a supine exercise bicycle for arm ergometry*, ab4

Background, computer, data processing
Dynamic graded subtraction: a simple method to background correct and display multicompartmental radiopharmaceutical scintigrams, 121

Blood
Biological behavior of erythrocytes labeled in vivo and in vitro with technetium-99m, 136
Comparison of two methods for attenuation correction (AC) of radionuclide count based cardiac volumes*, ab7
Validation of dynamic arrhythmia filtration vs. serial mode technique for gated blood-pool imaging*, ab7

Blood-brain barrier
The identification of contrast enhancement on MRI*, ab4

Bone
Bone and liver SPECT, 230
Comparison of In-111 oxine and Ga-67 citrate in the detection of osteomyelitis*, ab6
Reproducibility of dual-photon absorptiometry using a clinical phantom*, ab5
The value of medical information provided by technologist acquired patient histories utilizing medical or lay terminology*, ab9

Bone densitometry
Reproducibility of dual-photon absorptiometry using a clinical phantom*, ab5

Bone scintigraphy
Growth plate quantification: a comparison of magnification and pinhole techniques*, ab6
Patterns of uterine uptake in three-phase bone scintigraphy*, ab5

Book review
Atlas of Nuclear Medicine Artifacts and Variants, 182
Computers in Radiology, 55
Diagnostic Interventions in Nuclear Medicine, 182
DRGs for the Radiologist—Their Meaning and Impact, 182
Laboratory Manual for Nuclear Medicine Technology, 55
Nuclear Medicine in Clinical Urology and Nephrology, 259
Principles and Practice of Nuclear Medicine, 106
Textbooks of Nuclear Medicine, Volumes I and II, 183

Brain
The development of I-123 paraiododexetimide as an imaging agent for muscarinic cholinergic receptors*, ab6

Camera scintillation
Analysis of gamma camera detector stability and its effect on uniformity correction for SPECT, 1
Technical considerations of dual isotope subtraction*, ab3

Cardiac studies
The use of phantoms for quality control in gated cardiac studies, 5

Chromatography
Comparison of two systems for the quantification of technetium-99m radiochromatography procedures, 212

Clinical evaluation
Comparison of two methods for attenuation correction (AC) of radionuclide count based cardiac volumes*, ab7

Cobalt-57
Basic principles of radioimmunoassay testing: a simple approach, 34

Collimator
Growth plate quantification: a comparison of magnification and pinhole techniques*, ab6

Colonic scintigraphy
Colon transit scintigraphy*, ab9

Computer
Instrumentation and data reduction for radioassay, 244
Nuclear medicine computers—software, 140
Nuclear medicine computer systems—hardware, 97
Technical considerations of dual isotope subtraction*, ab3
The development of an artificial intelligent language for the interpretation of thallium stress studies*, ab8
Utilization of optimum reconstruction filter, volume smoothing and attenuation correction for SPECT*, ab3

Computers
Computer designed filter parameters for SPECT reconstruction*, ab22

Data processing
Actual versus theoretical pediatric radiopharmaceutical dosage, 15
Bone and liver SPECT, 230
Determination of thyroid gland mass using the scintillation camera and computer, 203
Indium-111 platelet imaging of in vivo thrombi: technical considerations of blood-pool subtraction*, ab8
Instrumentation and data reduction for radioassay, 244
Nuclear medicine computers—software, 140
Nuclear medicine computer systems—hardware, 97
Quality control in SPECT, 76
The development of an artificial intelligent language for the interpretation of thallium stress studies*, ab8
Utilization of optimum reconstruction filter, volume smoothing and attenuation correction for SPECT*, ab3

Deconvolutional analysis
Quantitation of hepatic artery and portal vein blood flow to the liver by deconvolutional analysis*, ab3

Departmental operations
A computerized quality assurance program*, ab4

Diastolic function
Validation of dynamic arrhythmia filtration vs. serial mode technique for gated blood-pool imaging*, ab7

Dose calibration
Accuracy testing of dose calibrators, 215
Actual versus theoretical pediatric radiopharmaceutical dosage, 15
Appropriateness of pediatric radiopharmaceutical doses, 181 (le)
Radioassay profiles: a clinical laboratory response to cost containment*, ab7

DRGs
Who bears legal liability under DRG management?, 254

Dual photon absorptiometry
Reproducibility of dual-photon absorptiometry using a clinical phantom*, ab5

Dy-165 FHMA
The therapeutic application of beta emitting isotopes in the treatment of rheumatoid knee effusions*, ab5

Education
Appropriateness of pediatric radiopharmaceutical doses (reply), 181 (le)
Radioimmunoassay kit evaluation and selection, 88
Radiolabeled monoclonal antibodies: a "decisive" technology, 46
Teaching the human dimension of the technologist's role, 173

Endocrinology
Euthyroid range reevaluation for uptake test, 206

Flood field
Quality control in SPECT, 76

Gallium-67
Comparison of In-111 oxine and Ga-67 citrate in the detection of osteomyelitis*, ab6
Selecting commercially available gallium-67 citrate for in vivo studies in small animals*, ab7

Gastric emptying
Practical solid and liquid phase markers for studying gastric emptying in man, 11

Gastrointestinal tract
Colon transit scintigraphy*, ab9
Gastrointestinal ulcer imaging with Se-75 labeled sucralfate*, ab8
Measurement of small bowel transit time (SBTT): lactulose hydrogen breath test versus radiolabeled solid meal*, ab8
Practical solid and liquid phase markers for studying gastric emptying in man, 11
Technical considerations in gastric ulcer localization using technetium-99m sucralfate, 127

Gated blood-pool imaging
Validation of dynamic arrhythmia filtration vs. serial mode technique for gated blood-pool imaging*, ab7

Heart
Calculation of right and left ventricular ejection fraction using first pass and gated blood-pool scans, 131
Comparison of two methods for attenuation correction (AC) of radionuclide count based cardiac volumes*, ab7
Effect of iodinated contrast media on technetium-99m red blood cell labeling, 208
Evaluation of cardiac dynamics using ECG gated magnetic resonance imaging*, ab4
Improved quantitative analysis utilizing both the immediate and early post exercise thallium scans as baselines*, ab7
Indium-111 platelet imaging of in vivo thrombi: technical considerations of blood-pool subtraction*, ab8
Preparation of xenon-133 solution for intravenous administration, 72
The development of an artificial intelligent language for the interpretation of thallium stress studies*, ab8
Total body Tl-201 scanning in evaluation of therapy for congestive heart failure*, ab9
Validation of dynamic arrhythmia filtration vs. serial mode technique for gated blood-pool imaging*, ab7

Hepatobiliary system
Quantitation of hepatic artery and portal vein blood flow to the liver by deconvolutional analysis*, ab3

Image subtraction
Technical considerations of dual isotope subtraction*, ab3

Indium-111
Clinical uses of radiolabeled platelets, 222
Comparison of In-111 oxine and Ga-67 citrate in the detection of osteomyelitis*, ab6
Effect of technetium-99m on iodine-131 thyroid uptake measurements, 68

Indium-111 platelet imaging of in vivo thrombi: technical considerations of blood-pool subtraction*, ab8
Practical solid and liquid phase markers for studying gastric emptying in man, 11

Indium-113m
Clinical assessment of a commercial delivery system for aerosol ventilation scanning by comparison with krypton-81m, 63

Instrumentation
Accuracy testing of dose calibrators, 215
A simple low cost phantom for SPECT orientation quality control, 125
Instrumentation and data reduction for radioassay, 244
Nuclear medicine computer systems—hardware, 97
Quality control in SPECT, 76
Utilization of optimum reconstruction filter, volume smoothing and attenuation correction for SPECT*, ab3

Iodinated contrast media
Effect of iodinated contrast media on technetium-99m red blood cell labeling, 208

Iodine-123
High energy background compensation for I-123 imaging*, ab5
The development of I-123 paraiodoxetimide as an imaging agent for muscarinic cholinergic receptors*, ab6

Iodine-125
Basic principles of radioimmunoassay testing: a simple approach, 34

Iodine-131
Effect of technetium-99m on iodine-131 thyroid uptake measurements, 68
Euthyroid range reevaluation for uptake test, 206

Knee
The therapeutic application of beta emitting isotopes in the treatment of rheumatoid knee effusions*, ab5

Krypton-81m
Clinical assessment of a commercial delivery system for aerosol ventilation scanning by comparison with krypton-81m, 63

Lactulose hydrogen breath test
Measurement of small bowel transit time (SBTT): lactulose hydrogen breath test versus radiolabeled solid meal*, ab8

Left ventricular volume
Cardiovascular SPECT, 150

Letter from the editor
Letter from the editor, 107
Letter from the editor, 257

Liability
Who bears legal liability under DRG management?, 254

Licensing
Accuracy testing of dose calibrators, 215

Liver
Bone and liver SPECT, 230
The value of medical information provided by technologist acquired patient histories utilizing medical or lay terminology*, ab9
Value of SPECT in liver-spleen imaging, 19

Lung
Clinical assessment of a commercial delivery system for aerosol ventilation scanning by comparison with krypton-81m, 63
Tc-99m glucoheptonate uptake in benign and malignant lung disease*, ab6

Magnetic resonance imaging
The identification of contrast enhancement on MRI*, ab4

Malpractice
Who bears legal liability under DRG management?, 254

Management
Who bears legal liability under DRG management?, 254

Monoclonal antibodies
Radiolabeled monoclonal antibodies: a "decisive" technology, 46

Neuroreceptors, muscarinic
The development of I-123 paraiodoxetimide as an imaging agent for muscarinic cholinergic receptors*, ab6

Nuclear magnetic resonance
Evaluation of cardiac dynamics using ECG gated magnetic resonance imaging*, ab4

Patient communications
Teaching the human dimension of the technologist's role, 173
The value of medical information provided by technologist acquired patient histories utilizing medical or lay terminology*, ab9

Patient position
Bone and liver SPECT, 230
Technical considerations in gastric ulcer localization using technetium-99m sucralfate, 127

Pediatrics
Actual versus theoretical pediatric radiopharmaceutical dosage, 15
Appropriateness of pediatric radiopharmaceutical doses (reply), 181 (le)

PET
Technical considerations of PET brain imaging*, ab4

Phantom
Analysis of gamma camera detector stability and its effect on uniformity correction for SPECT, 1
The use of phantoms for quality control in gated cardiac studies, 5

Platelets
Clinical use of radiolabeled platelets, 222

Portal vein
Quantitation of hepatic artery and portal vein blood flow to the liver by deconvolutional analysis*, ab3

Post exercise thallium scans
Improved quantitative analysis utilizing both the immediate and early post exercise thallium scans as baselines*, ab7

Pulse height analysis
Effect of technetium-99m on iodine-131 thyroid uptake measurements, 68

Quality assurance
A computerized quality assurance program*, ab4

Quality control
Accuracy testing of dose calibrators, 215
A simple low cost phantom for SPECT orientation quality control, 125
Comparison of two systems for the quantification of technetium-99m radiochromatography procedures, 212
Instrumentation and data reduction for radioassay, 244
Principles of instrumentation in SPECT, 23
Quality control in SPECT, 76
Radioimmunoassay kit evaluation and selection, 88
Radioimmunoassay quality control and troubleshooting, 164
Selecting commercially available gallium-67 citrate for in vivo studies in small animals*, ab7
Technical considerations of PET brain imaging*, ab4
Technique factors for volume calculation using single photon emission tomography images*, ab22
The use of phantoms for quality control in gated cardiac studies, 5

Radiation safety
Comparison of commercial syringe shields for attenuating Bremsstrahlung radiation, 258 (le)
Radioxenon packaging contamination, 218

Radioassay
Basic principles of radioimmunoassay testing: a simple approach, 34
Instrumentation and data reduction for radioassay, 244
Radioassay profiles: a clinical laboratory response to cost containment*, ab7
Radioimmunoassay kit evaluation and selection, 88
Radioimmunoassay quality control and troubleshooting, 164

Radiopharmacy
Accuracy testing of dose calibrators, 215
Appropriateness of pediatric radiopharmaceutical doses (reply), 181 (le)
Comparison of two systems for the quantification of technetium-99m radiochromatography procedures, 212
Effect of iodinated contrast media on technetium-99m red blood cell labeling, 208
Preparation of xenon-133 solution for intravenous administration, 72
Radiolabeled monoclonal antibodies: a "decisive" technology, 46

Red blood cell
Biological behavior of erythrocytes labeled in vivo and in vitro with technetium-99m, 136
Effect of iodinated contrast media on technetium-99m red blood cell labeling, 208

Rheumatoid joint therapy
The therapeutic application of beta emitting isotopes in the treatment of rheumatoid knee effusions*, ab5

Selenium-75 labeled sucralfate
Gastrointestinal ulcer imaging with Se-75 labeled sucralfate*, ab8

Shielding
Comparison of commercial syringe shields for attenuating Bremsstrahlung radiation, 258 (le)

SPECT
Analysis of gamma camera detector stability and its effect on uniformity correction for SPECT, 1
Cardiovascular SPECT, 150
Computer designed filter parameters for SPECT reconstruction*, ab22
High energy background compensation for I-123 imaging*, ab5
Technique factors for volume calculation using single photon emission tomography images*, ab22
Value of SPECT in liver-spleen imaging, 19

Spleen
Bone and liver SPECT, 230
Value of SPECT in liver-spleen imaging, 19

Technetium-99m
Calculation of right and left ventricular ejection fraction using first pass and gated blood-pool scans, 131

Technetium-99m-glucoheptonate
Tc-99m glucoheptonate uptake in benign and malignant lung disease*, ab6

Technetium-99m MDP
Comparison of In-111 oxine and Ga-67 citrate in the detection of osteomyelitis*, ab6
Patterns of uterine uptake in three-phase bone scintigraphy*, ab5

Technetium-99m-radiochromatography
Comparison of two systems for the quantification of technetium-99m radiochromatography procedures, 212

Technetium-99m radiopharmaceuticals
Appropriateness of pediatric radiopharmaceutical doses, 181 (le)

Technetium-99m RBC
Effect of iodinated contrast media on technetium-99m red blood cell labeling, 208

Technetium-99m-sucralfate
Technical considerations in gastric ulcer localization using technetium-99m sucralfate, 127

Technetium-99m sulfur colloid
Measurement of small bowel transit time (SBTT): lactulose hydrogen breath test versus radiolabeled solid meal*, ab8
Practical solid and liquid phase markers for studying gastric emptying in man, 11

Technetium-99m-thyroid scintigraphy
Effect of technetium-99m on iodine-131 thyroid uptake measurements, 68

Technetium-99 RBC
Biological behavior of erythrocytes labeled in vivo and in vitro with technetium-99m, 136

Thallium-201
Cardiovascular SPECT, 150
Principles of instrumentation in SPECT, 23
Total body Tl-201 scanning in evaluation of therapy for congestive heart failure*, ab9
Thallium exercise scintigraphy
A cost effective conversion of a supine exercise bicycle for arm ergometry*, ab4
Total body Tl-201 scanning in evaluation of therapy for congestive heart failure*, ab9
Thallium stress studies
The development of an artificial intelligent language for the interpretation of thallium stress studies*, ab8
Therapy
Determination of thyroid gland mass using the scintillation camera and computer, 203
Thrombus
Clinical use of radiolabeled platelets, 222
^{111}Indium-platelet imaging of in vivo thrombi: technical considerations of blood-pool subtraction*, ab8
Thyroid
Determination of thyroid gland mass using the scintillation camera and computer, 203
Effect of technetium-99m on iodine-131 thyroid uptake measurements, 68
Euthyroid range reevaluation for uptake test, 206
Time-activity histograms
Quantitation of hepatic artery and portal vein blood flow to the liver by deconvolutional analysis*, ab3
Tomography, computerized axial
Cardiovascular SPECT, 150
Nuclear medicine computers—software, 140
Tomography, radionuclide
A simple low cost phantom for SPECT orientation quality control, 125
Bone and liver SPECT, 230
Cardiovascular SPECT, 150
Principles of instrumentation in SPECT, 23
Quality control in SPECT, 76
Technical considerations of PET brain imaging*, ab4
Utilization of optimum reconstruction filter, volume smoothing and attenuation correction for SPECT*, ab3
Value of SPECT in liver-spleen imaging, 19
Toxicity
Selecting commercially available gallium-67 citrate for in vivo studies in small animals*, ab7
Tumor
Tc-99m glucoheptonate uptake in benign and malignant lung disease*, ab6
Uterus
Patterns of uterine uptake in three-phase bone scintigraphy*, ab5
Vascular system
Clinical uses of radiolabeled platelets, 222
Xenon-133
Preparation of xenon-133 solution for intravenous administration, 72
Radioxenon packaging contamination, 218
Xenon-133 extraction into isotonic saline
Preparation of xenon-133 solution for intravenous administration, 72

Author Index—1985

Ackermann, RA, ab5
Allen, WM, ab7, ab8
Ames, LH, ab7
Ammar, IA, ab8, ab9
Andersson, A-C, 63
Atkins, HL, 136

Baker, WJ, 222
Balady, GJ, ab4
Ballard, SK, ab22
Banks, L, 150
Berezowsky, J, 208
Betley, AT, ab4
Blondeau, KL, 215, ab7
Bobba, VVR, 203
Bolser, BE, ab6
Botti, J, 121, ab7
Brooks, KM, ab5, ab6
Brown, B, 19
Brown, C, ab8
Brown, ML, 11
Brown, PH, 244, ab7
Brunetti, JC, 230
Brust, KD, 150
Burpo, SM, ab7
Busemann-Sokole, E, 5

Caputo, GR, 150
Caretto, CM, ab4
Chen, DCP, ab22
Christian, PE, 55, 107, 222, 257, 259
Christie, JH, 106
Clanton, JA, ab4
Clinthorne, NH, 1
Clouse, ME, ab3
Coleman, RE, 76
Collier, BD, 230
Cradduck, TD, 5
Crandall, CR, ab4
Curtis, ES, 173
Czerwinski, B, 19

DaCosta, M, ab5
Dannals, RF, ab6
Datz, FL, 183, 222
DeLaney, M, ab5
Dellis, CJ, 230
D'Ercole, F, ab8, ab9
Dewanjee, MK, 72
Diltz, E, ab9
Drew, HH, 164
Dujovne, C, ab8

Eisner, RL, 23
Eklem, MJ, 203
English, RJ, ab5
Erickson, JJ, 97, 140
Eriksson, L, 63
Erlank, P, 68
Exten, R, ab4, ab22

Fahrenkrug, RR, 125
Feldkamp, CS, 88
Fisher, RS, ab8, ab9
Fogel, P, ab4
Folks, R, 150
Frost, JJ, ab6

Gallamore, GD, 182
Gardner, KA, ab4
Garrett, SG, 127
Gilbert, SA, 203, 244
Glenn, HJ, ab7
Goetz, WA, 15, 181
Goldsmith, SJ, ab5, ab8
Gooneratne, N, 19
Graham, MM, 150
Green, AM, ab4
Greene, RA, 150
Greer, K, 76
Groenewoud, M, ab9
Gross, MD, ab6
Guccione, J, 230

Hamilton, DR, 15
Harbert, JC, 258
Harcke, HT, ab5, ab6
Harris, C, 76
Haynie, TP, ab7
Herold, TJ, 72
Hichwa, RD, ab4
Hill, TC, ab3
Hodge, J, ab7, ab8
Holmes, RA, 215, ab7
Holt, L, ab7, ab8
Hood, CH, ab4

Jackson, B, ab8
Jannasch, MG, ab7
Jansen, AA, 203
Jaszczak, R, 76
Johnson, D, ab7
Juni, JE, 1, ab3, ab7, ab9

Kasi, LP, ab7
Kasulis, PW, ab3
Kay, TD, ab7, ab8
Klopper, JF, 68
Knight, LC, ab8
Koral, KF, ab5
Kowalsky, WP, 230
Krevsky, B, ab8, ab9
Krishnamurthy, GT, 203, ab7
Krohn, LD, 230

Lacny, J, 19
Lahti, D, ab9
Larson, SM, 46
LeDoux, E, ab7
Lee, KH, ab22
Lee, RG, ab3
LePage, JR, ab4
Lester, PD, ab4
Lieto, RP, 218
Lipszyc, H, ab8
Little, L, 131
Liu, TH, ab22
Logan, KW, 215
Luther, JR, ab6

Machac, J, ab8
Mahler, DJ, 244
Malagelada, J-R, 11
Malmud, LS, ab8, ab9
Mandell, GA, ab5, ab6
Mannard, JB, ab6
Manspeaker, HF, ab6
Mattera, JA, 150
Maurer, AH, ab8, ab9
Mayer, WJ, 208
McCarthy, CE, ab4
McGillivray, WA, ab6
Meinken, GE, 136
Meyers, LJ, ab3, ab5
Morrison, N, 218
Mukherji, SK, 258

Nagle, CE, ab9
Nicklas, J, ab9

Osbakken, M, 131

Palac, RT, ab7
Partain, CL, ab4
Patton, JA, ab4
Peck, DC, 230
Pena, T, ab7, ab8
Petersen, RJ, 206
Pimputkar, MR, 88
Pitt, B, ab9
Pitt, S, ab3
Plankey, M, 150
Pleet, D, ab8
Ponto, JA, 181
Porter, D, ab7, ab8
Praither, JD, 34

Ravert, HT, ab6
Rhodes, JB, ab8
Richards, P, 136
Ripley, SD, ab6
Rishaw, B, 212
Robinson, RG, ab8
Rogers, WL, 1, ab5
Romo, D, ab7, ab8
Rothley, JM, ab4
Runge, VM, ab4

Samosik-Mast, C, 212
Sargent, KS, 254
Sharkey, CA, ab5, ab6
Sheridan, MB, ab8
Siegel, JA, ab9
Siegel, ME, ab22
Simpkin, DJ, 125
Smith, AC, ab6
Smith, MA, ab8
Spaulding, S, ab3
Srivastava, SC, 136
Steves, AM, 55, 173
Strane, T, 125
Strudler, PK, 46
Suto, PA, ab6
Swanson, D, 212
Sweatman, TW, ab4

Taylor, A, Jr, 182
Thomas, GS, ab4
Thomforde, GM, 11
Turner, PA, ab6
Tuscan, MJ, 1, 121, ab3, ab5
Tyson, D, 212

Vallabhajosula, S, ab8
Van Heertum, RL, 230
Venkatesan, P, ab5
Vohs, JS, 206

Wagner, HN, Jr, ab6
Wahl, RL, 121
Wahner, HW, 72
Wallis, J, ab9
Wasserman, HJ, 68
Wcislo, WJ, 127
Weiss, S, 182
Westcott, EA, 244
Widmer, DJ, 215
Wilson, AA, ab6
Wollmer, P, 63
Wu-Connolly, L, ab7

Yamanashi, WS, ab4
Yudd, AP, 230

Zalutsky, M, ab5